

## CSC148 - Balancing Parentheses

We are writing client code and need a function (outside the class) to determine whether the parentheses in an expression are balanced: opening and closing parentheses match and are properly nested inside each other.

- Here are four examples. For each example, consider one character at a time. Your job is to determine whether the string has balanced parentheses or not. Use a stack to keep track of the minimum amount of information you need to solve the problem.

Expression 1:  $(1-(9*8))+6$

Expression 2:  $(a*((3)+(b)))/(2-b)$

Stack

Were the parentheses balanced?

Yes      No

Stack

Were the parentheses balanced?

Yes      No

Expression 3:  $2+)7($

Expression 4:  $(a+((b-(c/(d*e))-(f+g))))$

Stack

Were the parentheses balanced?

Yes      No

Stack

Were the parentheses balanced?

Yes      No

2. What general strategy will work in all cases:

(a) What will you do with each character as you receive it?

(b) At the end, how will you know whether the parentheses were balanced?

3. Now implement the function.

---

```
def is_balanced(line: str) -> bool:
    """Return whether <line> contains balanced parentheses.

    Ignore square and curly brackets.

    >>> is_balanced('(a * (3 + b))')
    True
    >>> is_balanced('(a * (3 + b]]') # Note that the two ']'s don't matter.
    False
    >>> is_balanced('1 + 2(x - y)}') # Note that the '}' doesn't matter.
    True
    >>> is_balanced('3 - (x')
    False
    """
```

---

4. How would you generalize this code to balance round, square, and curly brackets?